


TEFCOLD<sup>®</sup>



2019-2020



# MINIBARS

Minibar Coolers - Absorbtion Coolers

TEFCOLD minibars are ideal for hotels and conferences. They can be fully integrated and come with solid or glass doors and in a range of sizes.

All models feature key locks and internal LED lights.

An absorption minibar uses a single heating element and three fluids to drive the cooling system, making them extremely reliable and energy-efficient.

The compressor is quiet and eco-friendly. The system is maintenance-free and has a long service life.



### TEFCOLD TM42G

Silent minibar with absorption cooling and reversible glass door.  
When even a small product selection should to be elegant presented.



COOLERS



ECO-FRIENDLY  
REFRIGERANT NH3

# Minibars

## DID YOU KNOW?

An absorption minibar uses a single heating element and three operating fluids to power the cooling system. This is highly reliable, silent and energy efficient.



## TM52G

### Minibar Cooler

- Reversible glass door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock



Integrated evaporator



LED light



### TM32G

#### Minibar Cooler

- Reversible glass door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock



### TM42G

#### Minibar Cooler

- Reversible glass door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock

MODEL		TM32G	TM42G	TM52G
Gross / Net Volume	l	29 / 27	36 / 34	45 / 42
Gross / Net Weight	kg	17 / 13.5	22 / 17	24 / 19
Climate Class		4	4	4
Temperature Range	°C	5 to 12	5 to 12	5 to 12
Door Number & Type		1 hinged glass door	1 hinged glass door	1 hinged glass door
Reversible door		Yes	Yes	Yes
Shelves Number & Type		1 wire shelves grey	2 wire shelves grey	2 wire shelves grey
Interior Light		LED	LED	LED
Feet / Legs		4 adjustable feet	4 adjustable feet	4 adjustable feet
Exterior Finish		Black	Black	Black
Interior Finish		ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Lock		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	0	0	0
Type of Cooling		Absorbtion	Absorbtion	Absorbtion
Type of Defrost		Automatic	Automatic	Automatic
Refrigerant		NH3	NH3	NH3
Refrigerant Charge	g	70	72	80
Input Power	W	65	65	90
Voltage / Frequency	V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Energy Consumption	kWh/24h	0,75	0,9	1
Internal Dimension (WxDxH)	mm	316 x 215 x 400	316 x 245 x 459	316 x 245 x 569
External Dimension (WxDxH)	mm	402 x 406 x 500	402 x 450 x 560	402 x 450 x 670
Packed Dimension (WxDxH)	mm	450 x 460 x 530	450 x 480 x 600	450 x 480 x 710
40ft Container Load	pcs	384	360	360



COOLERS



ECO-FRIENDLY  
REFRIGERANT NH3

# Minibars



## TM52

### Minibar Cooler

- Reversible solid door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock



Integrated evaporator



LED light



### TM32 Minibar Cooler

- Reversible solid door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock



### TM42 Minibar Cooler

- Reversible solid door
- Flat integrated evaporator
- Extra storage space
- LED interior light
- Silent operation
- Low energy consumption
- Adjustable shelves
- Lock

MODEL		TM32	TM42	TM52
Gross / Net Volume	l	29 / 27	36 / 34	45 / 42
Gross / Net Weight	kg	17 / 13.5	18.5 / 14.5	21 / 16
Climate Class		4	4	4
Temperature Range	°C	2 to 12	2 to 12	2 to 12
Door Number & Type		1 hinged solid door	1 hinged solid door	1 hinged solid door
Reversible door		Yes	Yes	Yes
Shelves Number & Type		1 wire shelves grey	2 wire shelves grey	2 wire shelves grey
Interior Light		LED	LED	LED
Feet / Legs		4 adjustable feet	4 adjustable feet	4 adjustable feet
Exterior Finish		Black	Black	Black
Interior Finish		ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Lock		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	0	0	0
Type of Cooling		Absorbtion	Absorbtion	Absorbtion
Type of Defrost		Automatic	Automatic	Automatic
Refrigerant		NH3	NH3	NH3
Refrigerant Charge	g	70	72	80
Input Power	W	65	65	90
Voltage / Frequency	V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Energy Consumption	kWh/24h	0,75	0,8	0,91
Internal Dimension (WxDxH)	mm	316 x 215 x 400	316 x 245 x 459	316 x 245 x 569
External Dimension (WxDxH)	mm	402 x 406 x 500	402 x 450 x 560	402 x 450 x 670
Packed Dimension (WxDxH)	mm	450 x 460 x 530	450 x 480 x 600	450 x 480 x 710
40ft Container Load	pcs	384	360	360