

TEFCOLD[®]



2019-2020



STORAGE FREEZERS

Chest Freezers - Upright Storage Freezers

TEFCOLD chest freezers and storage freezers with solid doors are perfect when plenty of freezer capacity is needed for backroom storage. The storage freezers range goes from under-counter models to full height freezers, and in white or stainless steel cabinets.

The UF models with solid door are often used with their matching coolers (UR range). The UF and UR models look great together, regardless of size or finish. They come in stainless steel

or white paint finishes, with solid or glass doors and with or without canopy.

The FR and CF chest freezers are the most competitively-priced when extra freezer capacity is needed.

We also supply special freezers, such as the SE model, a low-temperature version. Examples of use include laboratories, or for fish. Go to medical freezers to see examples.



TEFCOLD UF400VS-P

Storage freezer with ventilated cooling, reversible solid door and stainless steel cabinet. Solid and elegant backroom freezer storage for any business.

Chest Freezers



FR505S-I

Chest Freezer

- Stainless steel lid
- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Castors with brake



Baskets



Thermometer



FR205S-I Chest Freezer

- Stainless steel lid
- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Basket
- Castors with brake



FR305S-I Chest Freezer

- Stainless steel lid
- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Basket
- Castors with brake

MODEL		FR205S-I	FR305S-I	FR405S-I	FR505S-I
Gross / Net Volume	l	189 / 185	278 / 273	385 / 377	463 / 454
Gross / Net Weight	kg	47 / 42	53 / 48	69 / 64	69 / 64
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -14	-24 to -14	-24 to -14	-24 to -14
Lid Number & Type		1 hinged solid stainless steel lid	1 hinged solid stainless steel lid	1 hinged solid stainless steel lid	1 hinged solid stainless steel lid
Basket Number & Type		1 Wire basket, white	1 Wire basket, white	2 Wire baskets, white	2 Wire baskets, white
Castors		4 double castors	4 double castors	4 double castors	4 double castors
Exterior Finish		White	White	White	White
Interior Finish		White painted steel	White painted steel	White painted steel	White painted steel
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Mechanical	Mechanical	Mechanical	Mechanical
Noise Level	db(A)	42	42	42	42
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Manual	Manual	Manual	Manual
Refrigerant		R600a	R600a	R600a	R600a
Refrigerant Charge	g	44	50	80	90
Input Power	W	150	185	230	230
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	0,88	1,08	1,32	1,5
Internal Dimension (WxDxH)	mm	610 x 480 x 725	860 x 480 x 725	1160 x 480 x 725	1380 x 480 x 725
External Dimension (WxDxH)	mm	734 x 700 x 945	984 x 700 x 945	1284 x 700 x 945	1504 x 700 x 945
Packed Dimension (WxDxH)	mm	770 x 710 x 950	1020 x 710 x 950	1320 x 710 x 950	1540 x 710 x 950
40ft Container Load	pcs	88	66	50	44

Chest Freezers



FR505-I

Chest Freezer

- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Castors with brake



Baskets



Thermometer



FR205-I Chest Freezer

- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Basket
- Castors with brake



FR305-I Chest Freezer

- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Basket
- Castors with brake

MODEL		FR205-I	FR305-I	FR405-I	FR505-I
Gross / Net Volume	l	189 / 185	278 / 273	385 / 377	463 / 454
Gross / Net Weight	kg	47 / 42	53 / 48	69 / 64	69 / 64
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -14	-24 to -14	-24 to -14	-24 to -14
Lid Number & Type		1 hinged solid lid	1 hinged solid lid	1 hinged solid lid	1 hinged solid lid
Basket Number & Type		1 Wire basket, white	1 Wire basket, white	2 Wire baskets, white	2 Wire baskets, white
Castors		4 double castors	4 double castors	4 double castors	4 double castors
Exterior Finish		White	White	White	White
Interior Finish		White painted steel	White painted steel	White painted steel	White painted steel
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Mechanical	Mechanical	Mechanical	Mechanical
Noise Level	db(A)	42	42	42	42
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Manual	Manual	Manual	Manual
Refrigerant		R600a	R600a	R600a	R600a
Refrigerant Charge	g	44	50	80	90
Input Power	W	150	185	230	230
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	0,88	1,08	1,32	1,5
Internal Dimension (WxDxH)	mm	610 x 480 x 725	860 x 480 x 725	1160 x 480 x 725	1380 x 480 x 725
External Dimension (WxDxH)	mm	734 x 700 x 945	984 x 700 x 945	1284 x 700 x 945	1504 x 700 x 945
Packed Dimension (WxDxH)	mm	770 x 710 x 950	1020 x 710 x 950	1320 x 710 x 950	1540 x 710 x 950
40ft Container Load	pcs	88	66	50	44

Chest Freezers



FR605S-I

Chest Freezer

- Stainless steel lid
- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Castors with brake



Baskets



Thermometer



CF700-P Chest Freezer

- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Castors with brake



CF700S-P Chest Freezer

- Stainless steel lid
- Handle with lock
- Thermometer
- Powder coated white steel inner liner
- Defrost water drain
- Baskets
- Castors with brake

MODEL		CF700-P	CF700S-P	FR605-I	FR605S-I
Gross / Net Volume	l	675 / 646	675 / 646	567 / 557	567 / 557
Gross / Net Weight	kg	119 / 114	119 / 114	81 / 76	81 / 76
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -14	-24 to -14	-24 to -14	-24 to -14
Lid Number & Type		1 hinged solid lid	1 hinged solid stainless steel lid	1 hinged solid lid	1 hinged solid stainless steel lid
Basket Number & Type		3 Wire baskets	3 Wire baskets, white	3 Wire baskets, white	3 Wire baskets, white
Castors		4 double castors	4 double castors	4 double castors	4 double castors
Exterior Finish		White	White	White	White
Interior Finish		White painted steel	White painted steel	White painted steel	White painted steel
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Mechanical	Mechanical	Mechanical	Mechanical
Noise Level	db(A)	42	42	42	42
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Manual	Manual	Manual	Manual
Refrigerant		R290	R290	R600a	R600a
Refrigerant Charge	g	120	120	105	105
Input Power	W	277	277	250	250
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	3,18	3,18	1,75	1,75
Internal Dimension (WxDxH)	mm	1935 x 510 x 685	1935 x 510 x 685	1680 x 480 x 725	1680 x 480 x 725
External Dimension (WxDxH)	mm	2060 x 716 x 830	2060 x 716 x 830	1804 x 700 x 945	1804 x 680 x 945
Packed Dimension (WxDxH)	mm	2150 x 750 x 900	2150 x 750 x 900	1850 x 710 x 950	1850 x 710 x 950
40ft Container Load	pcs	32	32	38	38

Upright Freezers

DID YOU KNOW?

We offer matching coolers for most of our storage freezers. For example, the UF-models match the popular UR-Coolers.



UF400V-P

Upright Freezer

- Reversible solid door
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Lock
- Adjustable shelves
- Adjustable feet

D



Ventilated cooling



Adjustable shelves



UF200-I

Upright Freezer

- Reversible solid door
- Electronic thermostat
- Fixed freezing shelves
- Lock
- Adjustable feet



UF200V-P

Upright Freezer

- Reversible solid door
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Lock
- Adjustable shelves
- Adjustable feet

A

MODEL		UF200-I	UF200V-P	UF400-I	UF400V-P
Gross / Net Volume	l	200 / 120	200 / 120	400 / 340	400 / 340
Gross / Net Weight	kg	52 / 47	52 / 47	85 / 80	79 / 74
Net Volume Energy Rating	l		58		249
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -10	-24 to -10	-24 to -10	-24 to -10
Door Number & Type		1 hinged solid doors	1 hinged solid door	1 hinged solid doors	1 hinged solid doors
Reversible door		Yes	Yes	Yes	Yes
Shelves Number & Type		2 fixed freezing shelves	3 wire shelves white	6 fixed freezing shelves	4 wire shelves white
Shelf Dimensions		490 x 380 mm	490 x 380 mm	490 x 380 mm	490 x 380 mm
Interior Light		No	No	No	No
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers	2 rollers
Exterior Finish		White	White	White	White
Interior Finish		ABS	ABS	ABS	ABS
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	40	42	40	40
Type of Cooling		Static	Ventilated	Static	Ventilated
Type of Defrost		Manual	Automatic, hot gas	Manual	Automatic
Refrigerant		R600a	R290	R600a	R290
Refrigerant Charge	g	60	45	80	80
Input Power	W	105	180	150	300
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	1,2	1,62	2,3	5,48
Energy Classification		-	A	-	D
Internal Dimension (WxDxH)	mm	484 x 470 x 620	484 x 470 x 610	484 x 470 x 1620	484 x 470 x 1620
External Dimension (WxDxH)	mm	600 x 600 x 850	600 x 600 x 850	600 x 600 x 1850	600 x 600 x 1850
Packed Dimension (WxDxH)	mm	690 x 650 x 910	690 x 650 x 910	690 x 650 x 2050	690 x 650 x 2050
40ft Container Load	pcs	108	108	54	54

Upright Freezers



UF400VS-P

Upright Freezer

- Reversible solid door
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Lock
- Stainless steel cabinet
- Adjustable shelves
- Adjustable feet

D



Ventilated cooling



Adjustable shelves



UF200S-I Upright Freezer

- Reversible solid door
- Electronic thermostat
- Stainless steel cabinet
- Fixed freezing shelves
- Lock
- Adjustable feet



UF200VS-P Upright Freezer

- Reversible solid door
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Lock
- Stainless steel cabinet
- Adjustable shelves
- Adjustable feet

A

MODEL		UF200S-I	UF200VS-P	UF400S-I	UF400VS-P
Gross / Net Volume	l	200 / 120	200 / 120	400 / 340	400 / 340
Gross / Net Weight	kg	52 / 47	52 / 47	85 / 80	79 / 74
Net Volume Energy Rating	l		58		249
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -10	-24 to -10	-24 to -10	-24 to -10
Door Number & Type		1 hinged solid doors	1 hinged solid door	1 hinged solid doors	1 hinged solid door
Reversible door		Yes	Yes	Yes	Yes
Shelves Number & Type		2 fixed freezing shelves	3 wire shelves white	6 fixed freezing shelves	4 wire shelves white
Shelf Dimensions		490 x 380 mm	490 x 380 mm	490 x 380 mm	490 x 380 mm
Interior Light		No	No	No	No
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers	2 rollers
Exterior Finish		SS430	SS430	SS430	SS430
Interior Finish		ABS	ABS	ABS	ABS
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	40	42	40	40
Type of Cooling		Static	Ventilated	Static	Ventilated
Type of Defrost		Manual	Automatic, hot gas	Manual	Automatic
Refrigerant		R600a	R290	R600a	R290
Refrigerant Charge	g	60	45	90	80
Input Power	W	105	180	150	300
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	1,2	1,62	2,3	5,48
Energy Classification		-	A	-	D
Internal Dimension (WxDxH)	mm	484 x 470 x 620	484 x 470 x 610	484 x 470 x 1620	484 x 470 x 1620
External Dimension (WxDxH)	mm	600 x 600 x 850	600 x 600 x 850	600 x 600 x 1850	600 x 600 x 1850
Packed Dimension (WxDxH)	mm	690 x 650 x 910	690 x 650 x 910	690 x 650 x 2050	690 x 650 x 2050
40ft Container Load	pcs	108	108	54	54

Upright Freezers



UFFS370SD-P

Storage Freezer

- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet



Strong handle



Lock



UFSC370SD-P

Storage Freezer

- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet

DID YOU KNOW?

TEFCOLD has a passion for cooling... Because of our wholehearted passion for both cool products and customers, we experience a high level of customer satisfaction.

MODEL		UFFS370SD-P	UFSC370SD-P
Gross / Net Volume	l	300 / 270	300 / 270
Gross / Net Weight	kg	77 / 70	77 / 70
Climate Class		4	4
Temperature Range	°C	-24 to -14	-24 to -14
Door Number & Type		1 hinged solid door	1 hinged solid door
Reversible door		Yes	Yes
Shelves Number & Type		6 fixed freezing shelves	6 fixed freezing shelves
Shelf Dimensions		470 x 413 mm	470 x 413 mm
Interior Light		No	No
Feet / Legs		2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers
Exterior Finish		White	White
Interior Finish		ABS	ABS
Lock		Yes	Yes
Thermometer		Yes	Yes
Type of Controller		Mechanical	Mechanical
Noise Level	db(A)	45	45
Type of Cooling		Static	Static
Type of Defrost		Manual	Manual
Refrigerant		R290	R290
Refrigerant Charge	g	85	85
Input Power	W	270	270
Voltage / Frequency	V/Hz	220-240/50	220-240/50
Energy Consumption	kWh/24h	2,61	2,61
Internal Dimension (WxDxH)	mm	475 x 440 x 1530	475 x 440 x 1530
External Dimension (WxDxH)	mm	595 x 600 x 1840	595 x 640 x 1840
Packed Dimension (WxDxH)	mm	660 x 680 x 2000	660 x 680 x 2000
40ft Container Load	pcs	54	54



TEFCOLD UF400VSG-P

Upright freezer with headed glass door and automatic defrost.
The glass door gives a great overview of the freezer's content.

Tabletop Freezers



UF100GCP-P

Tabletop Freezer

- Heated self-closing glass door
- LED illuminated canopy
- LED interior light
- Adjustable shelves
- Adjustable feet



Lock



Adjustable shelves



UF100G-P
Tabletop Freezer

- Heated self-closing glass door
- LED interior light
- Adjustable shelves
- Adjustable feet



UF50GCP-P
Tabletop Freezer

- Heated self-closing glass door
- LED illuminated canopy
- LED interior light
- Adjustable shelves
- Adjustable feet

MODEL		UF100GCP-P	UF100G-P	UF50GCP-P	UF50G-P
Gross / Net Volume	l	116 / 113	90 / 88	50 / 48	50 / 48
Gross / Net Weight	kg	59 / 54	49 / 44	46 / 42	39 / 34
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -12	-24 to -12	-24 to -12	-24 to -12
Door Number & Type		1 heated hinged glass door	1 heated hinged glass door	1 heated hinged glass door	1 heated hinged glass door
Reversible door		No	No	No	No
Shelves Number & Type		3 wire shelves white	3 wire shelves white	2 wire shelves white	2 wire shelves white
Shelf Dimensions		485 x 420 / 200 mm	485 x 420 / 200 mm	440 x 210 mm	440 x 210 mm
Interior Light		LED	LED	LED	LED
Canopy Light		LED	-	LED	-
Feet / Legs		4 adjustable feet	4 adjustable feet	4 adjustable feet	4 adjustable feet
Exterior Finish		White	White	White	White
Interior Finish		Coated aluminium	Coated aluminium	Coated aluminium	Coated aluminium
Lock		Yes	Yes	Yes	Yes
Thermometer		No	No	No	No
Type of Controller		Mechanical	Mechanical	Mechanical	Mechanical
Noise Level	db(A)	45	45	45	45
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Manual	Manual	Manual	Manual
Refrigerant		R290	R290	R290	R290
Refrigerant Charge	g	60	60	45	45
Input Power	W	230	230	154	154
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	2,6	2,5	2,2	2,1
Internal Dimension (WxDxH)	mm	500 x 430 x 540	500 x 430 x 540	450 x 420 x 380	450 x 420 x 380
External Dimension (WxDxH)	mm	610 x 555 x 890	610 x 540 x 670	570 x 530 x 657	570 x 530 x 520
Packed Dimension (WxDxH)	mm	650 x 590 x 960	640 x 600 x 740	610 x 600 x 730	610 x 560 x 580
40ft Container Load	pcs	114	171	171	304

Upright Freezers



GF200VSG-P

Glass Froster

- Ideal for frosting glasses (beer or shots)
- Mirror effect stainless steel interior
- LED interior light
- Heated Self-closing glass doors
- Ventilated cooling for fast pull-down and even temperature
- Adjustable shelves
- Adjustable feet



Perfect served tapped beer in frosted glasses



Thermostat cover



UF200SG-P Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Lock
- Stainless steel cabinet
- Fixed freezing shelves
- Adjustable feet



UR90G-I-SUB ZERO Caviar Cooler

- Heated glass door
- Black interior and exterior
- LED interior light
- Adjustable shelves
- Adjustable feet

MODEL		GF200VSG-P	UF200SG-P	UR90G-I-SUB ZERO
Gross / Net Volume	l	112 / 79	200 / 120	92 / 81
Gross / Net Weight	kg	49 / 44	62 / 57	40 / 36
Climate Class		4	4	4
Temperature Range	°C	-8 to -2	-24 to -10	-8 to 0
Door Number & Type		1 heated hinged glass door	1 hinged heated glass door	1 heated hinged glass door
Reversible door		No	No	No
Shelves Number & Type		2 wire shelves white	2 fixed freezing shelves	3 wire shelves black
Shelf Dimensions		460 x 260 mm	490 x 380 mm	420 x 300 mm
Interior Light		LED Cold white	LED	LED Cold white
Feet / Legs		4 adjustable feet	2 adjustable feet	4 adjustable feet
Castors		-	2 rollers	-
Exterior Finish		Stainless steel	SS430	Black
Interior Finish		Stainless steel	White RAL9016	Black
Lock		No	Yes	Yes
Thermometer		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	42	40	42
Type of Cooling		Ventilated	Static	Ventilated
Type of Defrost		Automatic, electrical	Manual	Automatic
Refrigerant		R290	R290	R600a
Refrigerant Charge	g	80	50	40
Input Power	W	280	270	280
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	2,5	2	1,85
Internal Dimension (WxDxH)	mm	485 x 290 x 676	484 x 470 x 620	439 x 299 x 632
External Dimension (WxDxH)	mm	595 x 525 x 875	600 x 600 x 850	515 x 542 x 750
Packed Dimension (WxDxH)	mm	630 x 575 x 930	690 x 650 x 910	570 x 585 x 805
40ft Container Load	pcs	144	108	160

Upright Freezers



Lock



Wheels or adjustable legs as option

UF400SG-P

Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Lock
- Stainless steel cabinet
- Fixed freezing shelves
- Adjustable feet



UF200G-P

Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Lock
- Fixed freezing shelves
- Adjustable feet



UF400G-P

Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Lock
- Fixed freezing shelves
- Adjustable feet



MODEL		UF200G-P	UF400G-P	UF400SG-P
Gross / Net Volume	l	200 / 120	400 / 340	400 / 340
Gross / Net Weight	kg	62 / 57	95 / 90	95 / 90
Climate Class		4	4	4
Temperature Range	°C	-24 to -10	-24 to -10	-24 to -10
Door Number & Type		1 hinged heated glass door	1 hinged heated glass door	1 hinged heated glass door
Reversible door		No	No	No
Shelves Number & Type		2 fixed freezing shelves	7 fixed freezing shelves	7 fixed freezing shelves
Shelf Dimensions		490 x 380 mm	490 x 380 mm	490 x 380 mm
Interior Light		LED	LED	LED
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers
Exterior Finish		White RAL9016	White RAL9016	Stainless steel
Interior Finish		White RAL9016	White RAL9016	White RAL9016
Lock		Yes	Yes	Yes
Thermometer		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	40	40	40
Type of Cooling		Static	Static	Static
Type of Defrost		Manual	Manual	Manual
Refrigerant		R290	R290	R290
Refrigerant Charge	g	50	110	110
Input Power	W	270	380	380
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	2,1	2,5	2,5
Internal Dimension (WxDxH)	mm	484 x 470 x 620	484 x 470 x 1620	484 x 470 x 1620
External Dimension (WxDxH)	mm	600 x 600 x 850	600 x 600 x 1850	600 x 600 x 1850
Packed Dimension (WxDxH)	mm	690 x 650 x 910	690 x 650 x 2050	690 x 650 x 2050
40ft Container Load	pcs	108	54	54

Upright Freezers



Ventilated cooling



Adjustable shelves

UF400VSG-P

Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Stainless steel cabinet
- Lock
- Adjustable shelves
- Adjustable feet



UF200VG-P Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Lock
- Adjustable shelves
- Adjustable feet



UF200VSG-P Upright Freezer

- Heated glass door
- LED interior light
- Electronic thermostat
- Ventilated cooling
- Automatic defrost
- Stainless steel cabinet
- Lock
- Adjustable shelves
- Adjustable feet

MODEL		UF200VG-P	UF200VSG-P	UF400VG-P	UF400VSG-P
Gross / Net Volume	l	200 / 120	200 / 120	400 / 340	400 / 340
Gross / Net Weight	kg	49 / 44	49 / 44	84 / 79	84 / 79
Climate Class		4	4	4	4
Temperature Range	°C	-24 to -10	-24 to -10	-24 to -10	-24 to -10
Door Number & Type		1 hinged heated glass door	1 hinged heated glass door	1 hinged heated glass door	1 hinged heated glass door
Reversible door		No	No	No	No
Shelves Number & Type		3 wire shelves white	3 wire shelves white	4 wire shelves white	4 wire shelves white
Shelf Dimensions		490 x 380 mm	490 x 380 mm	490 x 380 mm	490 x 380 mm
Interior Light		LED	LED	LED	LED
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers	2 rollers
Exterior Finish		White	SS430	White	SS430
Interior Finish		ABS	ABS	ABS	ABS
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	42	42	42	42
Type of Cooling		Ventilated	Ventilated	Ventilated	Ventilated
Type of Defrost		Automatic, hot gas	Automatic, hot gas	Automatic	Automatic
Refrigerant		R290	R290	R290	R290
Refrigerant Charge	g	45	45	80	80
Input Power	W	150	150	300	300
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	2,5	2,5	8,14	8,14
Internal Dimension (WxDxH)	mm	484 x 470 x 620	484 x 470 x 620	484 x 470 x 1620	484 x 470 x 1620
External Dimension (WxDxH)	mm	600 x 600 x 850	600 x 600 x 850	600 x 600 x 1850	600 x 600 x 1850
Packed Dimension (WxDxH)	mm	690 x 650 x 910	690 x 650 x 910	690 x 650 x 2050	690 x 650 x 2050
40ft Container Load	pcs	108	108	54	54

Display Freezers



UFSC1600GCP-P

Display Freezer

- Adjustable shelves
- 2 separate cooling systems (higher safety)
- Improved product presentation
- Improved ventilated cooling
- LED illuminated canopy
- LED light inside door frame
- Less maintenance



Adjustable shelves



Digital thermostat



NF2500G-P Display Freezer

- Self-closing heated glass door
- LED illuminated canopy
- LED interior light
- Ventilated cooling
- Adjustable feet
- Adjustable shelves



NF5000G-P Display Freezer

- Self-closing heated glass doors
- LED illuminated canopy
- LED interior light
- Ventilated cooling
- Adjustable shelves
- Adjustable feet

MODEL		NF2500G-P	NF5000G-P	UFSC1600GCP-P
Gross / Net Volume	l	444 / 412	984 / 930	1252 / 891
Gross / Net Weight	kg	155 / 150	263 / 258	333 / 308
Climate Class		4	4	4
Temperature Range	°C	-24 to -12	-24 to -12	-23 to -18
Door Number & Type		1 self-closing heated glass door	2 self-closing heated glass doors	3 hinged self-closing glass doors
Reversible door		No	No	No
Shelves Number & Type		5 adjustable	10 adjustable	15 adjustable
Shelf Dimensions		510 x 488 mm	615 x 445 mm	465/535 x 470 mm
Interior Light		LED	LED	LED
Canopy Type		D-Shape	D-Shape	D-Shape
Canopy Light		LED	LED	LED
Feet / Legs		2 adjustable feet	2 adjustable feet	6 adjustable feet
Castors		2 rollers	2 rollers	6 wheels
Exterior Finish		White RAL9016	White RAL9016	White
Interior Finish		Coated steel	Coated steel	White painted steel
Lock		Yes	Yes	No
Thermometer		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	53	53	53
Type of Cooling		Ventilated	Ventilated	Ventilated
Type of Defrost		Automatic	Automatic	Automatic
Refrigerant		R290	R290	R290
Refrigerant Charge	g	95	150	260
Input Power	W	850	1000	1555
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	9,5	14,25	19,58
Internal Dimension (WxDxH)	mm	560 x 580 x 1270	1250 x 580 x 1270	1480 x 568 x 1518
External Dimension (WxDxH)	mm	680 x 720 x 1990	1370 x 720 x 1990	1600 x 762 x 2073
Packed Dimension (WxDxH)	mm	720 x 770 x 2150	1420 x 770 x 2150	1675 x 805 x 2124
40ft Container Load	pcs	48	24	14

Display Freezers



Strong handle



Lock

DID YOU KNOW?

We offer matching coolers for most of our upright freezers. For example, the UFSC/UFFS models match the popular FS/SCU Coolers.

UFSC1450GCP-P

Display Freezer

- Self-closing heated glass doors
- Illuminated canopy
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Adjustable feet



UFSC370GCP-P

Display Freezer

- Heated glass door
- Illuminated canopy
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet



UFSC370G-P

Display Freezer

- Heated glass door
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet



MODEL		UFSC1450GCP-P	UFSC370GCP-P	UFSC370G-P
Gross / Net Volume	l	480 / 353	300 / 270	300 / 270
Gross / Net Weight	kg	131 / 117	103 / 92	100 / 90
Climate Class		4	4	4
Temperature Range	°C	-22 to -12	-24 to -14	-24 to -14
Door Number & Type		1 hinged heated self-closing glass door	1 heated hinged glass door	1 heated hinged glass door
Reversible door		No	No	No
Shelves Number & Type		6 fixed freezing shelves	6 fixed freezing shelves	6 fixed freezing shelves
Shelf Dimensions		560 x 399 mm	470 x 413 mm	470 x 413 mm
Interior Light		1 x Vertically LED right side	LED	LED
Canopy Type		D-Shape	D-Shape	-
Canopy Light		LED	LED	-
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers
Exterior Finish		White	White	White
Interior Finish		White painted steel	White	White
Lock		Yes	Yes	Yes
Thermometer		Yes	Yes	Yes
Type of Controller		Mechanical	Mechanical	Mechanical
Noise Level	db(A)	45	45	45
Type of Cooling		Fan assisted	Fan assisted	Fan assisted
Type of Defrost		Manual	Manual	Manual
Refrigerant		R290	R290	R290
Refrigerant Charge	g	100	85	85
Input Power	W	570	570	570
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	11,5	10,51	10,51
Internal Dimension (WxDxH)	mm	577 x 495 x 1684	470 x 440 x 1545	470 x 440 x 1545
External Dimension (WxDxH)	mm	680 x 655 x 2090	595 x 640 x 1980	595 x 640 x 1840
Packed Dimension (WxDxH)	mm	760 x 705 x 2207	680 x 710 x 2050	680 x 710 x 1940
40ft Container Load	pcs	51	54	54

Display Freezers



Strong handle



Lock

UFFS370GCP-P

Display Freezer

- Heated glass door
- Illuminated canopy
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet



UFFS1450GCP-P

Display Freezer

- Heated self-closing glass door
- Illuminated canopy
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Adjustable feet




UFFS370G-P

Display Freezer

- Heated glass door
- Fan assisted cooling
- Digital thermometer
- Interior light
- Fixed shelves
- Defrost water drain
- Adjustable feet



MODEL		UFFS1450GCP-P	UFFS370GCP-P	UFFS370G-P
Gross / Net Volume	l	480 / 353	300 / 270	300 / 270
Gross / Net Weight	kg	131 / 117	103 / 92	100 / 90
Climate Class		4	4	4
Temperature Range	°C	-22 to -12	-24 to -14	-24 to -14
Door Number & Type		1 hinged heated self-closing glass door	1 heated hinged glass door	1 heated hinged glass door
Reversible door		No	No	No
Shelves Number & Type		6 fixed freezing shelves	6 fixed freezing shelves	6 fixed freezing shelves
Shelf Dimensions		560 x 399 mm	470 x 413 mm	470 x 413 mm
Interior Light		LED	LED	LED
Canopy Type		D-Shape	D-Shape	-
Canopy Light		LED	LED	-
Feet / Legs		2 adjustable feet	2 adjustable feet	2 adjustable feet
Castors		2 rollers	2 rollers	2 rollers
Exterior Finish		White	White	White
Interior Finish		White painted steel	White	White
Lock		Yes	Yes	Yes
Thermometer		Yes	Yes	Yes
Type of Controller		Mechanical	Mechanical	Mechanical
Noise Level	db(A)	45	45	45
Type of Cooling		Fan assisted	Fan assisted	Fan assisted
Type of Defrost		Manual	Manual	Manual
Refrigerant		R290	R290	R290
Refrigerant Charge	g	100	85	85
Input Power	W	570	570	570
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	11,5	10,51	10,51
Internal Dimension (WxDxH)	mm	577 x 495 x 1684	470 x 440 x 1555	470 x 440 x 1555
External Dimension (WxDxH)	mm	680 x 655 x 2090	595 x 640 x 1980	595 x 640 x 1840
Packed Dimension (WxDxH)	mm	760 x 705 x 2207	680 x 710 x 2050	680 x 710 x 1940
40ft Container Load	pcs	51	54	54



SUPERMARKET

Supermarket Freezers - Supermarket Coolers

Design of the TEFCOLD range of plug-in supermarket freezers focuses heavily on visual product presentation and low running costs.

The TWIN range, with its double cooling system, features innovative design. It reduces the amount of floor space needed and running costs, whilst increasing reliability. Instead of putting two freezers back-to-back, the TWIN is built as a single unit with no partition. The result is more space for content with a smaller footprint.

The TWIN units are ideal for supermarkets or grocery stores with limited space, as they have the same volume in litres as two standard freezers of the same length, despite less depth.

The space-saving can be used for more rows of freezer islands or to make more room for customers. Automatic defrosting and LED lighting are of course standard. The range also features a flexible version, able to switch between cooling and freezing.

The SHALLOW range has an extra-large panorama glass lid and is built for standard freezer island setups. The units can be arranged back-to-back and with end freezers. The large, angled panorama sliding lid allows full visibility for the products inside. The automatic defrosting function reduces maintenance costs, and prevents the formation of ice inside. These are amongst the most efficient units on the market, with very low electricity consumption.



TEFCOLD TWIN 220-F-P

Supermarket freezer that occupies less floorspace.

When you wish to save on total expenses and reduce the amount of floorspace needed.




Supermarket Freezers



SHALLOW 250-F-P

Supermarket Freezer

- Extra large panorama glass lids
- Can be arranged into islands
- Perfect display for frozen foods
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Automatic defrost



Divider system



Promotional shelves as accessory



SHALLOW 150-F-P Supermarket Freezer

- Extra large panorama glass lids
- Can be arranged into islands
- Perfect display for frozen foods
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Automatic defrost

SHALLOW HEAD-F-P Supermarket Freezer

- Extra large panorama glass lids
- Can be arranged into islands
- Perfect display for frozen foods
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Automatic defrost

MODEL		SHALLOW 150-F-P	SHALLOW 200-F-P	SHALLOW 250-F-P	SHALLOW HEAD-F-P
Gross / Net Volume	l	590 / 400	800 / 580	1030 / 750	540 / 430
Gross / Net Weight	kg	141 / 98	168 / 127	198 / 127	162 / 121
Climate Class		3	3	3	3
Temperature Range	°C	-24 to -18	-24 to -18	-24 to -18	-24 to -18
Lid Number & Type		2 curved sliding temp. glass lids	2 curved sliding temp. glass lids	2 curved sliding temp. glass lids	2 curved sliding temp. glass lids
Number of dividers	pcs	2	2	2	2
Interior Light		LED	LED	LED	LED
Feet / Legs		4 adjustable legs	4 adjustable legs	4 adjustable legs	4 adjustable legs
Exterior Finish		White	White	White	White
Interior Finish		Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	48	48	48	48
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Automatic	Automatic	Automatic	Automatic
Refrigerant		R290	R290	R290	R290
Refrigerant Charge	g	120	120	160	120
Input Power	W	356	462	442	421
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	5,8	5,9	6,8	6,1
Internal Dimension (WxDxH)	mm	1364 x 774 x 490	1864 x 774 x 490	2364 x 774 x 490	1834 x 774 x 400
External Dimension (WxDxH)	mm	1520 x 920 x 790	2020 x 920 x 790	2500 x 930 x 790	1990 x 920 x 790
Packed Dimension (WxDxH)	mm	1610 x 850 x 1020	2110 x 850 x 1020	2610 x 850 x 1020	2090 x 850 x 1020
40ft Container Load	pcs	42	33	24	33



Supermarket Freezers



TWIN 220-F-P

Supermarket Freezer

- Occupies less floor space
- Increased reliability
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Bumper bars
- Static cooling
- Automatic defrost



Island installation



Shelf as accessory



TWIN HEAD-F-P Supermarket Freezer

- Occupies less floor space
- Increased reliability
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Bumper bars
- Static cooling
- Automatic defrost



SSF200-P Supermarket Freezer

- Designed for Island installation
- Great product visibility
- Static cooling
- Bumper bars
- Adjustable legs

MODEL		SSF200-P	TWIN 220-F-P	TWIN HEAD-F-P
Gross / Net Volume	l	839 / 652	1697 / 1255	425 / 334
Gross / Net Weight	kg	160 / 105	251 / 198	125 / 85
Climate Class		3	3	3
Temperature Range	°C	-24 to -18	-24 to -18	-24 to -18
Lid Number & Type		2 flat sliding temp. glass lids	2 curved sliding temp. glass lids	2 curved sliding temp. glass lids
Number of dividers	pcs	2		
Interior Light		LED as option	LED	LED
Feet / Legs		4 adjustable legs	4 adjustable legs	4 adjustable legs
Exterior Finish		White	White	White
Interior Finish		Powder coated steel	Powder coated steel	Powder coated steel
Thermometer		Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic
Noise Level	db(A)	48	48	48
Type of Cooling		Static	Static	Static
Type of Defrost		Manual	Automatic	Automatic
Refrigerant		R290	R290	R290
Refrigerant Charge	g	120	190	80
Input Power	W	345	552	267
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	4,5	9,2	3,9
Internal Dimension (WxDxH)	mm	1375 x 790 x 575	2000 x 1175 x 700	1190 x 605 x 620
External Dimension (WxDxH)	mm	2050 x 960 x 780	2150 x 1465 x 930	1470 x 812 x 915
Packed Dimension (WxDxH)	mm	2140 x 840 x 1030	2240 x 1050 x 1550	1530 x 1000 x 920
40ft Container Load	pcs	33	14	30



Supermarket Freezers/Coolers



TWIN 220-CF-P

Supermarket Cooler/Freezer

- Freezer / Cooler
- Occupies less floor space
- Increased reliability
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Bumper bars
- Static cooling
- Automatic defrost



Island installation



Shelf as accessory



TWIN HEAD-CF-P

Supermarket Cooler/Freezer

- Freezer / Cooler
- Occupies less floor space
- Increased reliability
- Low energy consumption
- Save on total expenses (operation plus investment costs)
- Bumper bars
- Static cooling
- Automatic defrost

DID YOU KNOW?

We have helped professional customers worldwide to keep temperatures down and sales up for more than 30 years.

MODEL	TWIN 220-CF-P	TWIN HEAD-CF-P
Gross / Net Volume	l 1697 / 1255	425 / 334
Gross / Net Weight	kg 251 / 198	125 / 85
Climate Class	3	3
Temperature Range	°C -24 to -18	-24 to -18
Lid Number & Type	2 curved sliding temp. glass lids	2 curved sliding temp. glass lids
Interior Light	LED	LED
Feet / Legs	4 adjustable legs	4 adjustable legs
Exterior Finish	White	White
Interior Finish	Powder coated steel	Powder coated steel
Thermometer	Yes	Yes
Type of Controller	Electronic	Electronic
Noise Level	db(A) 54	46
Type of Cooling	Static	Static
Type of Defrost	Automatic	Automatic
Refrigerant	R290	R290
Refrigerant Charge	g 190	80
Input Power	W 522	267
Voltage / Frequency	V/Hz 220-240/50	220-240/50
Energy Consumption	kWh/24h 9,2	3,9
Internal Dimension (WxDxH)	mm 2000 x 1175 x 700	1190 x 605 x 620
External Dimension (WxDxH)	mm 2150 x 1465 x 930	1470 x 812 x 915
Packed Dimension (WxDxH)	mm 2240 x 1050 x 1550	1530 x 1000 x 920
40ft Container Load	pcs 14	30



TEFCOLD SE20-45-P

Easily access freezer with electronic thermostat and alarm.
Specialty freezer for extra low temperatures for optimal storage for instance fish.

Laboratory Freezers



SE40-45-P

Laboratory Freezer

- Electronic thermostat with alarm
- Strong steel inner liner
- Solid lid
- Castors with brake
- 1 wire basket, white



Strong handle



Electronic thermostat



SE20-45-P
Laboratory Freezer

- Electronic thermostat with alarm
- Strong steel inner liner
- Solid lid
- Castors with brake
- 1 wire basket, white



SE30-45-P
Laboratory Freezer

- Electronic thermostat with alarm
- Strong steel inner liner
- Solid lid
- Castors with brake
- 1 wire basket, white

MODEL		SE10-45-P	SE20-45-P	SE30-45-P	SE40-45-P
Gross / Net Volume	l	155 / 152	235 / 230	330 / 323	400 / 392
Gross / Net Weight	kg	54 / 49	62 / 57	76 / 71	83 / 78
Climate Class		3	3	3	3
Temperature Range	°C	-45 to -5	-45 to -5	-45 to -5	-45 to -5
Lid Number & Type		1 hinged solid lid	1 hinged solid lid	1 hinged solid lid	1 hinged solid lid
Basket Number & Type		1 Wire basket, white	1 Wire basket, white	1 Wire basket, white	1 Wire basket, white
Castors		4 wheels, 2 with brake	4 wheels, 2 with brake	4 wheels, 2 with brake	4 wheels, 2 with brake
Exterior Finish		White	White	White	White
Interior Finish		Powder coated steel	Powder coated steel	Powder coated steel	Powder coated steel
Lock		Yes	Yes	Yes	Yes
Thermometer		Yes	Yes	Yes	Yes
Type of Controller		Electronic	Electronic	Electronic	Electronic
Noise Level	db(A)	45	45	45	45
Type of Cooling		Static	Static	Static	Static
Type of Defrost		Manual	Manual	Manual	Manual
Refrigerant		R290	R290	R290	R290
Refrigerant Charge	g	40	55	61	70
Input Power	W	250	300	500	600
Voltage / Frequency	V/Hz	220-240/50	220-240/50	220-240/50	220-240/50
Energy Consumption	kWh/24h	3,45	3,55	5,15	5,52
Internal Dimension (WxDxH)	mm	570 x 440 x 705	820 x 440 x 705	1120 x 440 x 705	1340 x 440 x 705
External Dimension (WxDxH)	mm	734 x 705 x 945	984 x 705 x 945	1284 x 705 x 945	1504 x 705 x 945
Packed Dimension (WxDxH)	mm	850 x 710 x 1000	1050 x 710 x 990	1350 x 710 x 990	1580 x 710 x 1050
40ft Container Load	pcs	102	70	50	44

Medical Cabinets



MSU400-I

Medical Cooler

- Hinged glass door
- Electronic thermostat
- Audible alarm signal
- External alarm connection
- Fan assisted cooling
- Adjustable shelves
- Automatic defrost
- Adjustable feet



Thermostat with audible and external alarm



Evaporator cover preventing damaged medicine



MSU300-I

Medical Cooler

- Hinged glass door
- Electronic thermostat
- Audible alarm signal
- External alarm connection
- Fan assisted cooling
- Adjustable shelves
- Automatic defrost
- Adjustable feet

DID YOU KNOW?

We are committed to providing a high level of quality and service. Therefore our products are tested at the factories and in one of our 2 test laboratories to maintain our high standards.

MODEL	MSU300-I	MSU400-I
Gross / Net Volume	l 290 / 260	372 / 347
Gross / Net Weight	kg 79.3 / 70	84.9 / 75.5
Climate Class	4	4
Temperature Range	°C 2 to 10	2 to 10
Door Number & Type	1 hinged glass door	1 hinged glass door
Reversible door	Yes	Yes
Shelves Number & Type	4 wire shelves white	5 wire shelves white
Shelf Dimensions	490 x 360 mm	490 x 360 mm
Interior Light	LED	LED
Canopy Light	15 W Neon	15 W Neon
Feet / Legs	2 adjustable feet	2 adjustable feet
Castors	2 rollers	2 rollers
Exterior Finish	White	White
Interior Finish	ABS	ABS
Lock	Yes	Yes
Thermometer	Yes	Yes
Type of Controller	Electronic with alarm	Electronic with alarm
Noise Level	db(A) 45	45
Type of Cooling	Fan assisted	Fan assisted
Type of Defrost	Automatic	Automatic
Refrigerant	R600a	R600a
Refrigerant Charge	g 80	80
Input Power	W 266	295
Voltage / Frequency	V/Hz 220-240/50	220-240/50
Energy Consumption	kWh/24h 2	2,3
Internal Dimension (WxDxH)	mm 470 x 440 x 1347	470 x 440 x 1555
External Dimension (WxDxH)	mm 595 x 640 x 1635	595 x 640 x 1840
Packed Dimension (WxDxH)	mm 680 x 710 x 1740	680 x 710 x 1940
40ft Container Load	pcs 54	54